

The logo features a stylized 'B' icon in a square on the left, followed by the word 'BARRISOL' in a bold, red, sans-serif font, and a registered trademark symbol (®) on the right.

**BARRISOL®**

A photograph of a theater interior with wooden tiered seating. The ceiling is a large projection of a lush green forest scene with sunlight filtering through the trees. On the side walls, there are several framed images of colorful parrots in flight. The seats have small signs that say 'RESERVADO' and a wheelchair accessibility symbol.

Print your mind®  
Imprimez votre imagination®



Introducing Printed BARRISOL<sup>®</sup> p. 4

---

BARRISOL<sup>®</sup> Classic Printed p. 6

---

BARRISOL<sup>®</sup> Translucent Printed p. 8

---

BARRISOL<sup>®</sup> 3D Printed p. 10

---

BARRISOL<sup>®</sup> Acoustic Printed p. 12

---

BARRISOL<sup>®</sup> Image Portfolio p. 14

---

BARRISOL<sup>®</sup> Ecology and Sustainable Development p. 38

---



As with other Barrisol® sheets, the installation of a printed Barrisol® sheet provides the perfect finish for any room. The installation of Barrisol® sheeting is clean and fast with very little disruption for the client.



Barrisol's ceilings can be adapted to all types of spaces. Barrisol® ceilings can be removed and reinstalled at any time to gain access to the area above the ceiling. Access to mechanical and electrical systems above the ceiling is fast and easy.



Barrisol® ceilings can help introduce vibrant colors into any space. Printing on Barrisol® offers unlimited creative possibilities by offering 230 different colors and 15 unique finishes. The only limit is the designer's own imagination.



Thanks to the Barrisol® Translucent® line of sheeting, it is possible to combine overhead lighting systems and Barrisol® sheeting to create one-of-a-kind lighting elements. When lit from above, Barrisol® Translucent® sheets provide a diffused light and enhance the images printed on a Barrisol® sheet.



The combination of printed images and Barrisol® Acoustics® sheets provides designers a very effective tool for optimizing acoustics without sacrificing design. Sound attenuation is subtle and attractive with Barrisol® Acoustics® sheets.



The Barrisol's sheets are classified M1 (Class 1 or Class A) for fire safety and can be installed in public places in accordance with local regulations.



As with all Barrisol® sheeting collections, Barrisol® printed sheets are 100% recyclable. Barrisol® promotes the protection of the environment and recently came out with its Recycled line of sheeting products. Sheets in the Recycled line are composed of 50% recycled material.



Architecte: Abbas Merchant from MBEM

# Classic printed

**B**arrisol ceilings can be used to enhance the decor of any space. Stylish and completely adaptable to any space, Barrisol's wide variety of potential applications is further increased by the ability to print directly on the sheeting.

Photographs, artwork, corporate logos, etc., can easily be printed on any one of Barrisol's 130 colors and 7 finishes. Designers do not have to settle for a standard finish or color, by printing on the Barrisol sheeting they can create their own one-of-a-kind ceiling.



Architectes : Sala-Rodrigo, Barros Tome-Tedros

## Design

The images printed on Barrisol sheets help to create a truly unique atmosphere. The images can enhance the overall design of a room by complimenting other design elements in the space.

Images, such as a peaceful landscape or an ocean / beach scene can be used to create a more relaxing environment. Ordinary objects, cityscapes or corporate logos can be used to create different effects. Images of almost any type can be printed on Barrisol from the most traditional to the most avant-gard.



## Utilization

Printed Barrisol sheets offer a wide variety of interior design application options. Children's bedrooms, dining rooms, restaurants, cinemas, corporate offices or trade show booths, all of these spaces and more can utilize printed Barrisol to reinforce any message or theme a designer is trying to convey.





Architecte: Hilmi SENALP

# Translucent printed

Combined with an integrated lighting solution, printed Barrisol sheets allow for a whole new level of creativity. Enhanced by the light from TLs, LED's or fiber optics, the printed images on walls, ceilings or 3D shapes push back the limits of interior design. Printed Barrisol sheets that are lighted from behind offer an intriguing combination of aesthetics, elegance and functionality.



Architecte : Cabinet Prache, Conception Lumière Vincent Muracciole



## Design

The light added to printed Barrisol sheets used on walls, 3D shapes, fixtures or ceilings, helps dramatically enhance each image. The ability to change the color of the lighting allows you to change the look and feel of the image and set an entirely different tone for the room.



## Utilization

Printed Barrisol sheets, when used in conjunction with an integral lighting system, help to enhance the uniqueness of any space.

Living rooms, game rooms, nightclubs and even event structures can all benefit from the creative use of Barrisol. Lighting systems that change colors can also be used in hospitals and clinics to provide a subtle, calming and tranquil environment during treatment.





# 3D printed



Thanks to Barrisol Normalu's innovative perimeter rail and support systems, it is possible to create all types of shapes: circles, waves, curves, diamonds, crystalline shapes, right angle turns, cones, etc. All of the elaborate sub-structure is then covered with printed Barrisol. Barrisol 3D printed creations can be customized to fit any location.



Architecte: Diego De Risi

## Design

3D Barrisol shapes dress up any space. By altering both shape and volume, structures become full-fledge architectural features with an infinite number of possible designs. The printed Barrisol placed on them helps reinforce the tone the designer is trying to set within a space. The wide palette of colors and finishes available allows the designer complete freedom of expression.



## Utilization

3D printed Barrisol is best used anywhere the creation of unique volumes, the enhancement of design themes or the utilization of a specific image or corporate brand is desired.

For cinemas, kitchens, inside corporate offices, trade show exhibits or special events structures, printed 3D Barrisol creations can support a design theme and reinforce a brand or image.





Architecte Tony D'ONGHIA

# Acoustic printed




rinted Barrisol sheets can also be formidable tools for acoustic noise reduction by using an acoustic Barrisol sheet in conjunction with a classical printed sheet.

When installed in a loud space such as a public cinema, meeting room or home theater, these sheets absorb excess sound energy and promote acoustic comfort and speech intelligibility.



**Acoustic printed**

Acoustic printed ceilings are achieved by combining a lower, printed sheet layer and an upper, acoustic sheet layer. The visible printed sheet, when contacted by a sound wave, begins to vibrate. This vibration takes energy from the sound wave. When the sound wave hits the acoustic sheet above, it is forced into the micro-perforation holes that help to convert the energy of the sound wave into thermal energy. This energy transfer further decreases the energy of the sound wave and helps to decrease reverberation in a space. (See the diagram below)



- 1 Initial sound
- 2 Sound transformed into thermal energy
- 3 Barrisol Acoustics®
- 4 Reduced sound

**Barrisol Acoustics®**


BARRISOL ACOUSTICS® is a line of sheeting intended to absorb sound. Micro-perforations in a Barrisol sheet reduce sound by converting acoustic wave energy into thermal energy as the sound wave is forced through the perforation holes. Additional friction is caused by the wave moving through air between the Barrisol sheet and the ceiling above.

BARRISOL ACOUSTICS® line is composed of four different sheets: Microacoustic®, Miniperf®, Acoperf® and Microperf®. Each sheet varies in the density, pattern and diameter of the micro-perforations.


The acoustic technology contained within BARRISOL ACOUSTICS® sheets offers spectacular sound attenuating results while remaining attractive in any setting.

**A20 ACOPERF®**


**Caractéristiques ACOPERF® A20**




Trous : 400 000/m<sup>2</sup>  
 Diamètre d'un trou : ≈ 0,15 mm  
 Taux de perforation : ≈ 0,8 %  
 Epaisseur : ≈ 0,18 mm  
 Référence : A20 + réf. coloris



**■ ACOPERF® sans isolant**



**■ ACOPERF® avec isolant**



$\alpha_p$ Coefficient d'absorption pratique du son DIN EN ISO 11654	Fréquence (Hz)					
	125	250	500	1000	2000	4000
ACOPERF® Plenum 100 mm sans isolant	0,10	0,25	0,65	0,80	0,60	0,60
ACOPERF® Plenum 100 mm avec isolant 80 mm	0,45	1,00	1,00	0,95	0,90	0,85

$\alpha_p$ Coefficient d'absorption pratique du son DIN EN ISO 11654	Moyenne d'absorption selon ASTM C423-01	Coefficient de réduction du bruit selon ASTM C 423-01	Coefficient d'absorption acoustique mesuré selon DIN EN ISO 11654	Classe d'absorption acoustique selon DIN EN ISO 11654
ACOPERF® Plenum 100 mm sans isolant	SAA = 0,58	NRC = 0,60	$\alpha_w = 0,55$	D
ACOPERF® Plenum 100 mm avec isolant 80 mm	SAA = 0,98	NRC = 0,95	$\alpha_w = 0,95(L)$	A



# Portfolio



Barrisol offers a collection of standard images that can be printed on the sheets. These images are divided into these 9 categories:

- Patterns • Food and Beverage • Animals
- Flowers • Nature and Landscapes • Art
- Zen • Wonders of the World • Illustrations

Custom images can also be printed on Barrisol sheeting.

Sheets with images printed on them can be installed either inside or outside. Images kept away from ultraviolet light are offered with a 10-year discoloration warranty.




▶ **Barrisol sheets available for printing**

It is possible to print images on the following Barrisol sheeting lines: brushed suede, lacquers, metallic, satin, matt and translucent.

▶ **Images to provide for printing**

The picture or image to print must be provided in the highest resolution possible. In order to ensure maximum clarity, the image files must be provided in: 1/10th scale to the sheet on which it will be printed, be in either EPS vectorised (preferred) or PDF format, in a minimum resolution of 300 DPI and in CMJN.

**Warning:** It is not recommended to print mostly black images as the image quality and clarity may vary across the image.



For example: if the printed sheet dimensions are 2m x 1m, the image file must have a minimum size of 20cm x 10cm with a resolution of 300 DPI.

▶ **Printed size without seams**

The maximal width for printing 2m15 (or on special order 2m50).

▶ **Information to provide for printing**

A diagram of the exact position of the image on the sheet and the exact dimensions of the image on the sheet will be required.

▶ **Lead-time for printing**

The lead-time for printing is 3 weeks (from receipt of complete information).

▶ **Original material**

Barrisol requires that artistic and photo credits be given to the creator of any original image. In order to submit an original image for printing, the permission of the artist or the reproduction rights for the image must first be obtained by its creator or current image licensee. Barrisol is not responsible for images printed without proper permission.



Create your own custom

# PATTERNS...

Printed Barrisol sheets can be adapted to the unique demands of any project. Custom printed Barrisol's images are a complex combination of pattern, background and color that are customized for each project.

## ► Dimensions


The patterns are fully scalable. To make it possible, the size of the original patterns is used as a reference. See Step 1.

## ► Colors


When choosing a background color:

1. The pattern can be directly printed on a white or colored sheet
2. The color of the image can be changed and the image can be printed on a neutral colored sheet. See Step 2.


Pattern printed on colored sheet



Pattern and background printed on neutral sheet



Final



The original color of the image is for reference only. It is possible to choose any color for the final image (according to the modalities CMJN or CMYK or Pantone). See Step 3.

By manipulating the digital image, it is possible to see the image and the background in a variety of different colors to make sure that the final sheets has just the right look.



Example of a two-colored pattern

## ► Creation

The patterns contained in this brochure are standards. Original, custom images are also possible.\*

\* Contact us for image restrictions and limitations



### Step 1 : Sizing the image

The dimension of the patterns can be modified as required.

pattern in real size



pattern to 200% of the real size



pattern to 75% of the real size



### Step 2 : Selecting background color

The choice of the background color is very important. Images can be printed on one of Barrisol's neutral sheets or on one of Barrisol's 130 colors.

Green background



Pink background





Blue background



### Step 3 : Selecting the image color


Choice of the pattern color (according to the modalities CMJN or CMYK or Pantone).




CATEGORIE  
**Patterns**




**Ref. : 900**  
Scalable per project.




**Ref. : 901**  
Scalable per project.



**Ref. : 902**  
Scalable per project.




**Ref. : 903**  
Scalable per project.



**Ref. : 904**  
Scalable per project.




**Ref. : 905**  
Scalable per project.




**Ref. : 906**  
Scalable per project.




**Ref. : 907**  
Scalable per project.




**Ref. : 908**  
Scalable per project.




**Ref. : 909**  
Scalable per project.



**Ref. : 910**  
Scalable per project.



**Ref. : 911**  
Scalable per project.



**Ref. : 912**  
 Scalable per project.



**Ref. : 913**  
 Scalable per project.




**Ref. : 914**  
 Scalable per project.



**Ref. : 915**  
 Scalable per project.



**Ref. : 916**  
 Scalable per project.




**Ref. : 917**  
 Scalable per project.




**Ref. : 918**  
 Scalable per project.



**Ref. : 919**  
 Scalable per project.



**Ref. : 920**  
 Scalable per project.



**Ref. : 921**  
 Scalable per project.




**Ref. : 922**  
 Scalable per project.



**Ref. : 923**  
 Scalable per project.

CATEGORIE  
**Food and Beverage**



**Ref. : 100**  
Max. size : 276 cm x 207 cm 300 dpi



**Ref. : 101**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 102**  
Max. size : 219 cm x 290 cm 300 dpi



**Ref. : 103**  
Max. size : 318 cm x 201 cm 300 dpi



**Ref. : 104**  
Max. size : 276 cm x 207 cm 300 dpi



**Ref. : 105**  
Max. size : 520 cm x 346 cm 300 dpi



**Ref. : 106**  
Max. size : 293 cm x 194 cm 300 dpi



**Ref. : 107**  
Max. size : 304 cm x 216 cm 300 dpi



**Ref. : 108**  
Max. size : 328 cm x 198 cm 300 dpi



**Ref. : 109**  
Max. size : 509 cm x 545 cm 300 dpi



**Ref. : 110**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 111**  
Max. size : 297 cm x 198 cm 300 dpi

CATEGORIE  
**Food and Beverage**

 **BARRISOL®**  
Print your mind



**Ref. : 112**  
Max. size : 370 cm x 247 cm 300 dpi



**Ref. : 113**  
Max. size : 370 cm x 247 cm 300 dpi



**Ref. : 114**  
Max. size : 620 cm x 605 cm 300 dpi



**Ref. : 115**  
Max. size : 319 cm x 217 cm 300 dpi



**Ref. : 116**  
Max. size : 276 cm x 207 cm 300 dpi



**Ref. : 117**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 118**  
Max. size : 582 cm x 215 cm 300 dpi



**Ref. : 119**  
Max. size : 433 cm x 289 cm 300 dpi



**Ref. : 120**  
Max. size : 281 cm x 211 cm 300 dpi



**Ref. : 121**  
Max. size : 302 cm x 277 cm 300 dpi



**Ref. : 122**  
Max. size : 329 cm x 219 cm 300 dpi



**Ref. : 123**  
Max. size : 328 cm x 219 cm 300 dpi

CATEGORIE  
**Animals**




**Ref. : 200**  
Max. size : 254 cm x 176 cm 300 dpi



**Ref. : 201**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 202**  
Max. size : 244 cm x 244 cm 300 dpi



**Ref. : 203**  
Max. size : 370 cm x 247 cm 300 dpi



**Ref. : 204**  
Max. size : 290 cm x 194 cm 300 dpi



**Ref. : 205**  
Max. size : 296 cm x 222 cm 300 dpi



**Ref. : 206**  
Max. size : 276 cm x 207 cm 300 dpi



**Ref. : 207**  
Max. size : 328 cm x 219 cm 300 dpi




**Ref. : 208**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 209**  
Max. size : 588 cm x 420 cm 300 dpi



**Ref. : 210**  
Max. size : 360 cm x 239 cm 300 dpi



**Ref. : 211**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 212**  
Max. size : 339 cm x 222 cm 300 dpi



**Ref. : 213**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 214**  
Max. size : 339 cm x 226 cm 300 dpi



**Ref. : 215**  
Max. size : 400 cm x 300 cm 300 dpi



**Ref. : 216**  
Max. size : 593 cm x 365 cm 300 dpi



**Ref. : 217**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 218**  
Max. size : 363 cm x 241 cm 300 dpi



**Ref. : 219**  
Max. size : 247 cm x 178 cm 300 dpi




**Ref. : 220**  
Max. size : 314 cm x 212 cm 300 dpi



**Ref. : 221**  
Max. size : 328 cm x 219 cm 300 dpi



**Ref. : 222**  
Max. size : 329 cm x 219 cm 300 dpi



**Ref. : 223**  
Max. size : 238 cm x 168 cm 300 dpi

CATEGORIE  
**Animals**



**Ref. : 224**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 225**  
Max. size : 264 cm x 176 cm 300 dpi



**Ref. : 226**  
Max. size : 531 cm x 236 cm 300 dpi



**Ref. : 227**  
Max. size : 297 cm x 197 cm 300 dpi



**Ref. : 228**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 229**  
Max. size : 293 cm x 195 cm 300 dpi




**Ref. : 230**  
Max. size : 329 cm x 219 cm 300 dpi




**Ref. : 231**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 232**  
Max. size : 620 cm x 232 cm 300 dpi



**Ref. : 233**  
Max. size : 428 cm x 285 cm 300 dpi



**Ref. : 234**  
Max. size : 280 cm x 280 cm 300 dpi



**Ref. : 235**  
Max. size : 297 cm x 198 cm 300 dpi





**Ref. : 300**  
Max. size : 370 cm x 247 cm 300 dpi



**Ref. : 301**  
Max. size : 356 cm x 23,7 cm 300 dpi



**Ref. : 302**  
Max. size : 220 cm x 165 cm 300 dpi



**Ref. : 303**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 304**  
Max. size : 635 cm x 425 cm 300 dpi



**Ref. : 305**  
Max. size : 219 cm x 313 cm 300 dpi



**Ref. : 306**  
Max. size : 276 cm x 207 cm 300 dpi



**Ref. : 307**  
Max. size : 97 cm x 198 cm 300 dpi



**Ref. : 308**  
Max. size : 329 cm x 219 cm 300 dpi



**Ref. : 309**  
Max. size : 260 cm x 173 cm 300 dpi




**Ref. : 310**  
Max. size : 588 cm x 336 cm 300 dpi



**Ref. : 311**  
Max. size : 276 cm x 207 cm 300 dpi

CATEGORIE  
**Flowers**



**Ref. : 312**  
Max. size : 374 cm x 250 cm 300 dpi



**Ref. : 313**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 314**  
Max. size : 293 cm x 195 cm 300 dpi




**Ref. : 315**  
Max. size : 328 cm x 219 cm 300 dpi



**Ref. : 316**  
Max. size : 221 cm x 154 cm 300 dpi



**Ref. : 317**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 318**  
Max. size : 406 cm x 270 cm 300 dpi



**Ref. : 319**  
Max. size : 277 cm x 207 cm 300 dpi



**Ref. : 320**  
Max. size : 306 cm x 193 cm 300 dpi



**Ref. : 321**  
Max. size : 304 cm x 228 cm 300 dpi



**Ref. : 322**  
Max. size : 610 cm x 406 cm 300 dpi



**Ref. : 323**  
Max. size : 276 cm x 207 cm 300 dpi




**Ref. : 324**  
Max. size : 328 cm x 219 cm 300 dpi




**Ref. : 325**  
Max. size : 297 cm x 210 cm 300 dpi



**Ref. : 326**  
Max. size : 328 cm x 234 cm 300 dpi



**Ref. : 327**  
Max. size : 276 cm x 207 cm 300 dpi



**Ref. : 328**  
Max. size : 329 cm x 219 cm 300 dpi



**Ref. : 329**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 330**  
Max. size : 296 cm x 198 cm 300 dpi



**Ref. : 331**  
Max. size : 508 cm x 293 cm 300 dpi



**Ref. : 332**  
Max. size : 677 cm x 282 cm 300 dpi



**Ref. : 333**  
Max. size : 593 cm x 220 cm 300 dpi



**Ref. : 334**  
Max. size : 578 cm x 193 cm 300 dpi



**Ref. : 335**  
Max. size : 677 cm x 282 cm 300 dpi


CATEGORIE

# Nature & Landscapes




**Ref. : 400**

Max. size : 509 cm x 424 cm 300 dpi




**Ref. : 401**

Max. size : 762 cm x 508 cm 300 dpi



**Ref. : 402**

Max. size : 700 cm x 467 cm 300 dpi



**Ref. : 403**

Max. size : 509 cm x 424 cm 300 dpi



**Ref. : 404**

Max. size : 751 cm x 305 cm 300 dpi



**Ref. : 405**

Max. size : 508 cm x 508 cm 300 dpi



**Ref. : 406**

Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 407**

Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 408**

Max. size : 329 cm x 219 cm 300 dpi



**Ref. : 409**

Max. size : 593 cm x 219 cm 300 dpi



**Ref. : 410**

Max. size : 405 cm x 229 cm 300 dpi



**Ref. : 411**

Max. size : 420 cm x 139 cm 300 dpi

CATEGORIE  
**Nature & Landscapes**

 **BARRISOL®**  
Print your mind



**Ref. : 412**  
Max. size : 298 cm x 198 cm 300 dpi



**Ref. : 413**  
Max. size : 322 cm x 322 cm 300 dpi



**Ref. : 414**  
Max. size : 322 cm x 241 cm 300 dpi



**Ref. : 415**  
Max. size : 316 cm x 216 cm 300 dpi



**Ref. : 416**  
Max. size : 328 cm x 219 cm 300 dpi



**Ref. : 417**  
Max. size : 423 cm x 282 cm 300 dpi



**Ref. : 418**  
Max. size : 423 cm x 318 cm 300 dpi




**Ref. : 419**  
Max. size : 370 cm x 247 cm 300 dpi




**Ref. : 420**  
Max. size : 364 cm x 237 cm 300 dpi



**Ref. : 421**  
Max. size : 328 cm x 219 cm 300 dpi




**Ref. : 422**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 423**  
Max. size : 408 cm x 360 cm 300 dpi

CATEGORIE

# Nature & Landscapes



**Ref. : 424**

Max. size : 423 cm x 318 cm 300 dpi



**Ref. : 425**

Max. size : 293 cm x 195 cm 300 dpi




**Ref. : 426**

Max. size : 329 cm x 219 cm 300 dpi




**Ref. : 427**

Max. size : 320 cm x 236 cm 300 dpi




**Ref. : 428**

Max. size : 261 cm x 169 cm 300 dpi




**Ref. : 429**

Max. size : 282 cm x 212 cm 300 dpi




**Ref. : 430**

Max. size : 313 cm x 217 cm 300 dpi



**Ref. : 431**

Max. size : 330 cm x 220 cm 300 dpi



**Ref. : 432**

Max. size : 370 cm x 247 cm 300 dpi



**Ref. : 433**

Max. size : 241 cm x 323 cm 300 dpi



**Ref. : 434**

Max. size : 219 cm x 328 cm 300 dpi



**Ref. : 435**

Max. size : 195 cm x 293 cm 300 dpi



**Ref. : 500**  
Max. size : 270 cm x 182 cm 300 dpi



**Ref. : 501**  
Max. size : 308 cm x 247 cm 300 dpi



**Ref. : 502**  
Max. size : 305 cm x 198 cm 300 dpi



**Ref. : 503**  
Max. size : 219 cm x 165 cm 300 dpi



**Ref. : 504**  
Max. size : 328 cm x 219 cm 300 dpi



**Ref. : 505**  
Max. size : 420 cm x 297 cm 300 dpi




**Ref. : 506**  
Max. size : 300 cm x 200 cm 300 dpi



**Ref. : 507**  
Max. size : 297 cm x 197 cm 300 dpi




**Ref. : 508**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 509**  
Max. size : 279 cm x 127 cm 300 dpi



**Ref. : 510**  
Max. size : 420 cm x 297 cm 300 dpi



**Ref. : 511**  
Max. size : 287 cm x 288 cm 300 dpi

CATEGORIE  
**Zen**



**Ref. : 600**  
Max. size : 388 cm x 165 cm 300 dpi



**Ref. : 601**  
Max. size : 364 cm x 271 cm 300 dpi



**Ref. : 602**  
Max. size : 328 cm x 219 cm 300 dpi



**Ref. : 603**  
Max. size : 328 cm x 219 cm 300 dpi



**Ref. : 604**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 605**  
Max. size : 328 cm x 219 cm 300 dpi




**Ref. : 606**  
Max. size : 423 cm x 254 cm 300 dpi



**Ref. : 607**  
Max. size : 339 cm x 296 cm 300 dpi



**Ref. : 608**  
Max. size : 400 cm x 400 cm 300 dpi



**Ref. : 609**  
Max. size : 326 cm x 218 cm 300 dpi



**Ref. : 610**  
Max. size : 294 cm x 196 cm 300 dpi



**Ref. : 611**  
Max. size : 325 cm x 183 cm 300 dpi






**Ref. : 612**  
Max. size : 356 cm x 237 cm 300 dpi



**Ref. : 613**  
Max. size : 329 cm x 219 cm 300 dpi




**Ref. : 614**  
Max. size : 370 cm x 247 cm 300 dpi



**Ref. : 615**  
Max. size : 297 cm x 197 cm 300 dpi



**Ref. : 616**  
Max. size : 173 cm x 149 cm 300 dpi



**Ref. : 617**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 618**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 619**  
Max. size : 347 cm x 231 cm 300 dpi



**Ref. : 620**  
Max. size : 370 cm x 247 cm 300 dpi



**Ref. : 621**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 622**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 623**  
Max. size : 360 cm x 260 cm 300 dpi

CATEGORIE

# Wonders of the World



**Ref. : 700**  
Max. size : 297 cm x 198 cm 300 dpi



**Ref. : 701**  
Max. size : 379 cm x 235 cm 300 dpi



**Ref. : 702**  
Max. size : 195 cm x 293 cm 300 dpi



**Ref. : 703**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 704**  
Max. size : 329 cm x 219 cm 300 dpi



**Ref. : 705**  
Max. size : 423 cm x 318 cm 300 dpi



**Ref. : 706**  
Max. size : 293 cm x 195 cm 300 dpi




**Ref. : 707**  
Max. size : 677 cm x 439 cm 300 dpi




**Ref. : 708**  
Max. size : 717 cm x 247 cm 300 dpi



**Ref. : 709**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 710**  
Max. size : 300 cm x 200 cm 300 dpi



**Ref. : 711**  
Max. size : 219 cm x 146 cm 300 dpi

CATEGORIE  
**Wonders of the World**

 **BARRISOL®**  
Print your mind



**Ref. : 712**  
Max. size : 294 cm x 123 cm 300 dpi



**Ref. : 713**  
Max. size : 672 cm x 224 cm 300 dpi



**Ref. : 714**  
Max. size : 409 cm x 240 cm 300 dpi



**Ref. : 715**  
Max. size : 297 cm x 198 cm 300 dpi




**Ref. : 716**  
Max. size : 370 cm x 246 cm 300 dpi



**Ref. : 717**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 718**  
Max. size : 324 cm x 217 cm 300 dpi



**Ref. : 719**  
Max. size : 296 cm x 222 cm 300 dpi



**Ref. : 720**  
Max. size : 293 cm x 195 cm 300 dpi



**Ref. : 721**  
Max. size : 434 cm x 289 cm 300 dpi



**Ref. : 722**  
Max. size : 328 cm x 219 cm 300 dpi



**Ref. : 723**  
Max. size : 297 cm x 198 cm 300 dpi

CATEGORIE  
**Illustrations**



**Ref. : 800**  
Max. size : 419 cm x 296 cm 300 dpi




**Ref. : 801**  
Max. size : 415 cm x 297 cm 300 dpi



**Ref. : 802**  
Max. size : 419 cm x 296 cm 300 dpi



**Ref. : 803**  
Max. size : 416 cm x 322 cm 300 dpi



**Ref. : 804**  
Max. size : 381 cm x 381 cm 300 dpi



**Ref. : 805**  
Max. size : 297 cm x 210 cm 300 dpi



**Ref. : 806**  
Any dimensions.



**Ref. : 807**  
Max. size : 240 cm x 247 cm 300 dpi



**Ref. : 808**  
Any dimensions.



**Ref. : 809**  
Max. size : 639 cm x 480 cm 300 dpi



**Ref. : 810**  
Max. size : 640 cm x 480 cm 300 dpi




**Ref. : 811**  
Max. size : 297 cm x 210 cm 300 dpi



**Ref. : 812**  
Max. size : 289 cm x 262 cm 300 dpi



**Ref. : 813**  
Max. size : 339 cm x 254 cm 300 dpi



**Ref. : 814**  
Max. size : 535 cm x 334 cm 300 dpi



**Ref. : 815**  
Max. size : 373 cm x 371 cm 300 dpi



**Ref. : 816**  
Max. size : 296 cm x 296 cm 300 dpi



**Ref. : 817**  
Max. size : 356 cm x 362 cm 300 dpi



**Ref. : 818**  
Max. size : 401 cm x 301 cm 300 dpi



**Ref. : 819**  
Any dimensions.




**Ref. : 820**  
Any dimensions.



**Ref. : 821**  
Max. size : 331 cm x 331 cm 300 dpi



**Ref. : 822**  
Max. size : 297 cm x 210 cm 300 dpi



**Ref. : 823**  
Any dimensions.


# B Barrisol® guarantees your safety

Barrisol® puts the safety and quality in the heart of its activity, conforming to effective legislations.

## Barrisol® Indoor air quality

**All the Barrisol® lines are A+ classed**

(best result) for indoor air quality, respecting the effective legislation.



\*INDOOR AIR EMISSIONS : Information on the emission level of volatile substances indoors, based on the risk of toxicity due to inhalation, on a scale ranging from Class A (very low emissions) to C (high emissions).

- les Reflets Laqués : A+
- les Rêves Satinés : A+
- les Mats Traditions : A+
- les Daims Ambiance : A+
- les Recyclés : A+
- les Translucides : A+
- les plafond Barrisol® imprimés : A+
- les Effets Lumière : A+
- les Effets Matière : A+
- Barrisol® Creadesign® : A+
- Barrisol® Tremprovision® : A+
- Barrisol® Trempodesign® : A+

## BARRISOL® GUARANTEES A HIGH QUALITY PRODUCT

The Barrisol® sheets conform 100% to «CE» legislation, are produced with plasticisers without phtalate and are guaranteed to be without cadmium, without mercury and without arsenic.

The Barrisol® sheets are «CE» certified and fire rated following the european and international norms (BS1-d0, BS2-d0, BS3-d0). Barrisol® guarantees the safety in public spaces and guarantees the same level of exigency in your house.

# Barrisol®



Print your mind

## guarantees the respect of environment

### WEIGHT

	BARRISOL®	OTHER TYPES OF CEILINGS
	500g/m <sup>2</sup>	12Kg/m <sup>2</sup>
for 10 000 m <sup>2</sup>	5 t	120 t
<b>115 tons less of raw material to cover a same surface of 10 000 sqm</b>		

### PACKAGING

for 10 000 m <sup>2</sup>	50 Kg Reduced packaging Almost no waste	More than 1 000Kg Bulky various packagings Lot of waste
<b>Difference : nearly 1 ton</b>		

### TRANSPORTATION

	reduced volume	significant volume
Transport of the material	Small vehicles Less fuel consumed	Large vehicles Significant fuel consumption
<b>Difference : gains in weight and fuel</b>		

### ASSEMBLY

for 10 000 sqm with 4 persons	50 days Reduced costs Premises are quickly reusable	80 - 100 days High need of energy Long building occupation
<b>Difference : reduced need of energy</b>		

### WASTE

waste generated by the installation of 10 000sqm	+/- 0	≈ 10 t
waste generated by the production of material	+/- 0	10%
<b>Difference : almost no waste</b>		

### DURABILITY

	20 years and more	5 - 10 years
	No regular renovation No dirt No waste	Regular renovation More dirt More waste
<b>Difference : no renovation is needed</b>		

### RECYCLING

	100% recyclable	Sorting is necessary
	Preserve the environment Reusable as energy	No reusable waste (rubble)
<b>Difference : 100% recyclable</b>		





Architecte : ArchTube Architectural Lighting & Design

# BARRISOL®

ORIGINE  
FRANCE®  
GARANTIE

BVCert. 6039707  
Plafond tendu



\* Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions)  
Information on the emission level of volatile substances indoors, based on the risk of toxicity due to inhalation, on a scale ranging from Class A (very low emissions) to C (high emissions)

## BARRISOL NORMALU SAS


Route du Sipes | 68680 Kembs | France

Tél. : +33 (0)3 89 83 20 20 | Fax : +33 (0)3 89 48 43 44 | E-mail : mail@barrisol.com

[www.barrisol.com](http://www.barrisol.com)



Au cœur de l'innovation depuis 1967



CERTIFIÉ PAR UN LABORATOIRE INDÉPENDANT  
CERTIFIED BY AN INDEPENDENT LABORATORY  
VON EINEM UNABHÄNGIGEN LABOR BESTÄTIGT  
(LNE)



union des fabricants **unifab**  
POUR LA PROTECTION INTERNATIONALE DE LA PROPRIÉTÉ INTELLECTUELLE

